

AGENTI CHELANTI

Aaseth J & Friedheim AH Treatment of methyl mercury poisoning in mice with 2,3-dimercaptosuccinic acid and other complexing thiols Acta Pharmacol Toxicol 42 1978 248-52 (Z88)

Aaseth J & Norseth T Combination of a high molecular weight and a low molecular weight thiol to mobilize methyl mercury In: Clinical Chemistry and Chemical Toxicology of Metals Ed SS Brown Elsevier/North Holl 1977 p.2258 (Z98)

Battistone GC, Miller RA, Rubin M The use of 2,3-dimercaptopropane sodium sulfonate (DMPS) in mercury chelation therapy In: Clinical Chemistry and Chemical Toxicology of Metals Ed SS Brown Elsevier/North Holl 1977 221-224 (Z40)

Buchet JP & Lauwerys RR Influence of 2,3 dimercaptopropane-1-sulfonate and dimercaptosuccinic acid on the mobilization of mercury from tissues of rats pretreated with mercuric chloride, phenylmercury acetate or mercury vapors Toxicol 54 1989 323-33 (Z69)

Campbell JR, Clarkson TW, Omar MD The therapeutic use of 2,3-dimercaptopropane-1-sulfonate in two cases of inorganic mercury poisoning JAMA 256 1986 3127-30 (Z73)

Cherian MG, Miles EF, Clarkson TW, Cox C Estimation of mercury burdens in rats by chelation with dimercaptopropane sulfonate J Pharmacol Exp Ther 245 1988 479-84 (Y21)

Gabhard B Distribution and excretion of mercury chelating agent sodium 2,3-dimercaptopropane-1-sulfonate in rat Arch Toxicol 39 1978 28998 (Z68)

Gabhard B Treatment of methylmercury poisoning in the rat with sodium 2,3-dimercaptopropane-1-sulfonate: influence of dose and mode of administration Toxicol Appl Pharmacol 38 1976 415-24 (Z75)

Klotzbach JM & Diamond GL Complexing activity and excretion of 2,3-dimercapto-1-propane sulfonate in rat kidney Am J Physiol 254 1988 F871-8 (Z81)

Kostial K, kargacin B, Landeka M 2,3-dimercaptopropane-1-sodium sulfonate for reducing retention of ingested 203Hg in suckling rats Bull Envir Contam Toxicol 41 1988 185-8 (Y19)

Planas-Bohne F & Olinger H The interaction of chelating agents with methylmercuric chloride bound to erythrocytes Biochem Pharmacol 30 1981 667-9 (Z101)

Planas-Bohne F The effect of 2,3-dimercaptopropane-1-sulfonate and dimercaptosuccinic acid on the distribution and excretion of mercuric chloride in rats Toxicol 19 1981 275-8 (Z71)

Planas-Bohne F The excretion of two renal enzymes as influenced by mercuric chloride and DMPS In: Clinical Chemistry and Chemical Toxicology of Metals Ed SS Brown Elsevier/North Holl 1977 119-122 (Z39)

Wannag A, Aaseth J The effect of immediate and delayed treatment with 2,3-dimercaptopropane-1-sulfonate on the distribution and toxicity of inorganic mercury in mice and in foetal and adult rats Acta Pharmacol Toxicol 46 1980 81-8 (Z72)

Friedheim E, Corvi C, Wakker CH Meso-dimercaptosuccinic acid a chelating agent for the treatment of mercury and lead poisoning J Pharm Pharmacol 28 1976 711-2 (Z89)

Friedheim E, Corvi C Meso-dimercaptosuccinic acid, a chelating agent for the treatment of mercury poisoning J Pharm Pharmacol 27 1975 624-6 (Z90)

Graziano JH Role of 2,3-dimercaptosuccinic acid in the treatment of heavy metal poisoning Med Toxicol 1 1986 155-62 (Z95)

Magos L, Peristianis GC, Snowden RT Postexposure preventive treatment of methylmercury intoxication in rats with dimercaptosuccinic acid Toxicol Appl Pharmacol 45 1978 463-75 (Z92)

Mant TGK Clinical studies with dimercaptopropane sulphonate in mercury poisoning Hum Toxicol 4 1985 346; Experimental studies with metal-chelating agents mesodimercaptosuccinic acid and 2,3-dimercaptopropane sodium sulphonate Magos L Hum Toxicol 4 1985 345 (Z79)

Rivera M, Zheng W, Aposhian HV, Fernando Q Determination and metabolism on dithiol chelating agents VIII. Metal complexes of meso-dimercaptosuccinic acid Toxicol Appl Pharm 100 1989 96-106 (Z94)

Roels HA, Boeckx M, Ceulemans E, Lauwers RR Urinary excretion of mercury after occupational exposure to mercury vapour and influence of the chelating agent meso-2,3-dimercaptosuccinic acid (DMSA) Br J Ind Med 48 1991 247-53 (AJ59)

Ashbel SI, Hill RG, Shatrova SP Treatment of occupational mercurialism with a new Soviet antidote - succimer Vrach Delo 1968:10 80-2 (Rus) (Z91)

Ashton CE & House I Two cases of severe inorganic mercury ingestion treated with dimercapto-1-propane sulphonate EAPCC/IPCS/CEC Meet on The Use of Chelating Agents in Metal Poisonings Munster West-Germany may 31-june 3 1989 3 (Z85)

DMPS Clinical application of DMPS in intoxications with inorganic mercury compounds Bertram HP, Kemper FH, Jekat FW, Winterberg B EAPCC/IPCS/CEC Meet on The Use of Chelating Agents in Metal Poisonings Munster West-Germany may 31-june 3 1989 6; Elemental mercury vapor toxicity: clinical features and management EAPCC/IPCS/CEC Meet on The Use of Chelating Agents in Metal Poisonings Munster West-Germany may 31-june 3 1989 8; The use of DMPS for testing mercury-accumulation in the normal population and in persons with occupational exposure Schiele R EAPCC/IPCS/CEC Meet on The Use of Chelating Agents in Metal Poisonings Munster, West-Germany may 31-june 3 1989 16 (Z87)

Kachru DN & Tandon SK Chelation in metal intoxication XX. Effect of pre-treatment with chelators on the distribution of mercury Res Comm Chem Pathol Pharmacol 52 1986 399-402 (Z45)

Twardowska-Saucha K Evaluation of the chelating action of methicillin in prolonged experimental metallic mercury poisoning Br J Ind Med 43 1986 611-614 (Z62)

Mechanisms of absorption of inorganic mercury from rat small intestine IV: Effect of chelating agents and cysteine on absorption of mercuric chloride in situ and in vitro Endo T, Nakaya S & Kimura R Pharmacol Toxicol 68 1991 171-6 (AH60)

Haddow JE, Fish CA, Marshall PC, Lester R Biliary excretion of mercury enhanced by spironolactone Gastroenterol 63 1972 1053-8 (D24)

Klaassen CD Effect of spironolactone on the distribution of mercury Toxicol Appl Pharmacol 33 1975 366-75 (AF17)

Kosmider, S & Klopotowski J Behandlung chronischer Quecksilbervergiftungen mit Methylcillin Int Arch Arbeitsmed 27, 1970, 228-33 (R2)

Aphosian HV & Aphosian MM N-acetyl-D,L-penicillamine, a new oral protective agent against the lethal effects of mercuric chloride J Pharmacol Exp Ther 126 1959 131-5 (D44)

Aphosian HV Protection by D-penicillamine against the lethal effects of mercuric chloride Science july 11 1958 93 (J29)

Aposhian HV DMSA and DMPS - water soluble antidotes for heavy metal poisoning Ann Rev Pharmacol Toxicol 23 1983 193-215 (108 ref) (Z82a,b)

Araki S, Aono H, Murata K Mobilization of heavy metals into the urine by CaEDTA - relation to erythrocyte and plasma concentrations and exposure indicators Br J Ind Med 43 1986 636-41 (Z96)

Cikrt M, Ticy M, Jones MM The effect of 2,3-dimercaptopropionic acid on distribution and excretion of 115mCd and 203Hg in rats Res Comm Chem Pathol Pharmacol 38 1982 421-38 (Z93)

Dutkiewicz T, Oginski M Dislocation and excretion of mercury in rats following application of unithiol Int Arch Gewerbepathol 23 1967 197-201 (Ger) (Z77)

Güntz JE Chemischer Nachweis von der Ausscheidung des Quecksilbers durch den Harn Quecksilberkranker nach dem Gebrauche der Aachener Kaiserquelle Vierteljahrsschr f. Dermatol u. Syph 1877:4 297-314 (Z21)

Hellström E & Oskarsson A Increased availability of mercury in rat hepatocytes by complex formation with diethyldithiocarbamate Toxicol Lett 49 1989 87-98 (Z97)

Hruby K & Donner A 2,3-dimercapto-1-propanesulphonate in heavy metal poisoning Med Toxicol 2 1987 317-23 (Z84)

Kark RAP, Poskanzer DC, Bullock JD, Boylen G Mercury poisoning and its treatment with N-acetyl-D,L-penicillamine New Engl J Med 285 1971 10-6 (A46)

Stantschew St Bestimmung und Dekorporation der Quecksilberdepots bei quecksilberexponierten Z Ges Hyg 29 1983 388-90 (AB42)

Sunderman FW Clinical response to therapeutic agents in poisoning from mercury vapor Ann Clin Lab Sci 8 1978 259-269 (AA24)

Swensson Å & Ulfvarson U Experiments with different antidotes in acute poisoning by different mercury compounds. Effects on survival and on distribution and excretion of mercury Int Arch Gewerbepathol Gewerbehyg 24 1967 12-50 (Z38a,b)

Takahashi H & Hirayama K Accelerated elimination of methyl mercury from animals Nature 232 1971 201-202 (Y43)

Thompson RHS & Whittaker VP Antidotal activity of British Anti-Lewisite against compounds of antimony, gold and mercury Journal? 1947 342-6 (N28)

Wofniak TGK, Oginski M, Karasek M, Piatek T Histological and histo-chemical investigations of rat kidneys after the administration of chlormerodrin 203Hg and unithiol Fortschr Geb Roentgenstr Nuklearmed 119 1973 603-9 (Ger, engl abstr) (Z78)

Fredin B & Lindahl O Kvicksilver - avgiftning Sw J Biol Med 3 1990 13-5 (AF32)

Kitoh H & Toshioka N Effects of thiopronin on excretion and distribution of 203Hg-labeled mercury compounds in mice Jap J Pharmacol 28 1978 423-31 (U13)

Nadig J, Knutti R, Hany A DMPS treatment in acute sublimate (mercury chloride) poisoning Schw Med Wschr 115 1985 apr 13 507-11 (Z76)

Norseth T & Nordhagen A-L The influence of an industrial complexing agent on the distribution and excretion of lead and mercury In: Clinical Chemistry and Chemical Toxicology of Metals Ed SS Brown Elsevier/North Holl 1977 p. 137-40 (Z99)

Ottenwälder H & Simon P Differential effect of N-acetylcysteine on excretion of the metals Hg, Cd, Pb and Au Arch toxicol 60 1987 401-2 (AA54)

Schiele KH, Schaller KH & Welte D Mobilisation von quecksilber-Speicherungen im Organismus mittels DMPS (Dimaval) Arbeitsmed Sozialmed Präventivmed 24 1989 249-51 (AC21)

Complexation of thiomalic acid with mercury(II) and lead(II) under physiological conditions Maeda M, Okada K, Wakabayashi K, Honda K, Ito K, Kinjo Y J Inorg Biochem 42 1991 37-45 (AH56)

Nielsen JB & Andersen O Effect of four thiol-containing chelators on disposition of orally administered mercuric chloride Hum Exp Toxicol 10 1991 423-30 (AL13)

Effect of lipoic acid on biliary excretion of glutathione and metals Gregus Z, Stein AF, Varga F, Klaassen CD Toxicol Appl Pharmacol 114 1992 88-96 (AL38)

Meso-2,3-dimercaptosuccinic acid (DMSA) affects maternal and fetal copper metabolism in Swiss mice Taubenack MW, Domingo JL, Llobet JM, Keen CL Toxicol 72 1992 27-40 (AM9)

Determination and Metabolism of Dithiol Chelating Agents .12. Metabolism and Pharmacokinetics of Sodium 2,3- Dimercaptopropane-1-Sulfonate in Humans. Maiorino RM; Dart RC; Carter DE; Aposhian HV Journal of Pharmacology and Experimental Therapeutics; 259 (2) p808-814 NOV 1991 (AN11)

Interaction of spironolactone with mercury. A possible molecular mechanism Kourounakis PN, Pouskoulelis GP & Rekka E Arznm forsch Drug Res 42(II) 1992 1025-8 (AN46)

Mercury Clearance from Human Plasma During Invitro Dialysis - Screening Systems for Chelating Agents. Ferguson CL; Cantilena LR Journal of Toxicology - Clinical Toxicology; 30 (3) p423-441 1992 (AN47)

Influence of 2,3 dimercaptopropane-1-sulfonate and dimercaptosuccinic acid on the mobilization of mercury from tissues of rats pretreated with mercuric chloride, phenylmercury acetate or mercury vapors Buchet JP & Lauwers RR Toxicol 54 1989 323-33 (AP26)

meso-2,3-Dimercaptosuccinic Acid Monoalkyl Esters - Effects on Mercury Levels in Mice. Gale GR; Smith AB; Jones MM; Singh PK Toxicology; 81 (1) p49-56 1993 (AS12)

Toxicology of chelated mercury Friedman CG et al J Environm Pathol Toxicol 2 1979 1529-1537 (AS55)

Protective effects of 2,3-dimercaptopropane-1-sulfonate on mercuric chloride-induced acute inhibition of enzymes from rat duodenal mucosa and kidney cortex Suzuki S, Takamura S, Sugiki K, Imai M, Niwa O & Tamatani R Toxicology 86 1994 29-48 (AT55)

Mercury Kinetics in a Case of Severe Mercuric Chloride Poisoning Treated with Dimercapto-1-propane Sulphonate (DMPS). Toet AE; Vandijk A; Savelkoul TJF; Meulenbelt J Human & Experimental Toxicology; 13 (1) p11-16 JAN 1994 (AU3)

Evaluation of the Protective Activity of 2,3- Dimercaptopropanol and Sodium 2,3-Dimercaptopropane-1- Sulfonate on Methylmercury-Induced Developmental Toxicity in Mice. Gomez M; Sanchez DJ; Colomina MT; Domingo JL; Corbella J Archives of Environmental Contamination and Toxicology; 26 (1) p64-68 JAN 1994 (AU20)

Effect of Oral Therapy with Monoisoamyl Meso-2,3- Dimercaptosuccinate on Hg-203 Retention in Rats. Kostial K; Blanusa M; Piasek M; Jones MM; Singh PK Bulletin of Environmental Contamination and Toxicology; 52 (4) p492-497 APR 1994 (AU34)

Protective Effects of 2,3-Dimercaptopropane-1-Sulfonate on Mercuric Chloride-Induced Acute Inhibition of Enzymes from Rat Duodenal Mucosa and Kidney Cortex. Suzuki S; Takamura S; Sugiki K; Imai M; Niwa O; Tamatani R Toxicology; 86 (1-2) p29-48 JAN 26 1994 (AX21)

Clearance half life of mercury in urine after the cessation of long term occupational exposure: influence of a chelating agent (DMPS) on excretion of mercury in urine Sällsten G, Barregård L & Schutz A Occupational and Environmental Medicine 51 1994 337-342 (AX34)

Fluctuation of trace elements during methylmercury toxication and chelation therapy. Bapu C; Purohit RC; Sood PP Human & Experimental Toxicology; 13 (12) p815-823 DEC 1994 (BA30)

Evaluation of the antidotal effect of DL alpha-lipoic acid against mercuric chloride-induced acute renal dysfunction. Devi VK; Sumathi R; Varalakshmi P Medical Science Research; 22 (12) p859-862 DEC 1 1994 (BB10)

Monoisoamyl meso-2,3-dimercaptosuccinate as a delayed treatment for mercury removal in rats. Kostial K; Kargacin B; Blanusa M; Piasek M; Jones MM; Singh PK Environmental Health Perspectives; 102 p309-311 SEP 1994 (BD5)

Mobilization of heavy metals by newer, therapeutically useful chelating agents. Aposhian HV; Maiorino RM; Gonzalezramirez D; Zunigacharles M; Xu ZF; Hurlbut KM; Juncomunoz P; Dart RC; Aposhian MM Toxicology; 97 (1-3) p23-38 MAR 31 1995 (BD55)

Effects of sulphydryl compounds on the accumulation, removal and cytotoxicity of inorganic mercury by primary cultures of rat renal cortical epithelial cells. Endo T; Sakata M Pharmacology & Toxicology; 76 (3) p190-195 MAR 1995 (BE9)

Dose-related efficiency of mono-n-hexyl meso-2,3-dimercaptosuccinate in decreasing 203Hg retention in rats Kostial K et al Pharmacol Toxocol 77 1995 79-80 (BE31)

Prolonged oral treatment with two monoesters of meso-2,3-dimercaptosuccinic acid for depleting inorganic mercury retention in suckling rats Kostial K, Blanusa M, Piasek M, Jones MM & Singh PK Pharmacol Toxicol 77 1995 216-218 (BF7)

Assessment of the protective activity of monoisoamyl meso-2,3-dimercaptosuccinate against methylmercury-induced maternal and embryo/fetal toxicity in mice Belles M, Sanchez DJ, Gomez M, Domingo JL, Jones MM & Singh PK Toxicol 106 1996 93-97 (BF64)

Evaluation of urinary mercury excretion after administration of 2,3-dimercapto-1-propane sulfonic acid to occupationally exposed men. Torresalanis O; Garzaocanas L; Pineyrolopez A Journal of Toxicology - Clinical Toxicology; 33 (6) p717-720 1995 (BG17)

Comparison of rac- and meso-2,3-dimercaptosuccinic acids for chelation of mercury and cadmium using chemical speciation models. Fang XJ; Hua FM; Fernando Q Chemical Research in Toxicology; 9 (1) p284-290 JAN-FEB 1996 (BH11)

The protective effect of DMPS against mercury toxicity in the isolated-perfused proximal tubule of the rabbit kidney Vincent IM, Barfuss DW, Zalups RK Abstr. of the 35th Ann Meet of the Soc. of Toxicology; Fund Appl Toxicol 30(1) 1996, abstr 1513 (BH67)

Influence of dietary levels of protein and sulfur amino acids on the fate of methylmercury in mice. Adachi T; Yasutake A; Hirayama K Toxicology; 93 (2-3) p225-234 NOV 11 1994 (BA32)

Ameliorative Capacities of Vitamins and Monothiols Administered Alone or in Combinations in Methylmercury Mobilisation in Nervous and Non-Nervous Tissues of Mice. Sood PP; Vijayalakshmi K; Bapu C Cellular and Molecular Biology; 39 (2) p213-219 1993 (BB48)

Inorganic mercury exposure, mercury-copper interaction, and DMPS treatment in rats. Blanusa M; Prester L; Radic S; Kargacin B Environmental Health Perspectives; 102 p305-307 SEP 1994 (BD4)

Protective effect of diethyldithiocarbamate on mercury- induced toxicity in kidney mitochondria. Reyesvivas H; Lopezmoreno F; Chavez E Comparative Biochemistry and Physiology C - Pharmacology Toxicology & Endocrinology; 113 (3) p349-352 MAR 1996 (BH61)

Increased inorganic mercury in spinal motor neurons following chelating agents. Ewan KBR; Pamphlett R Neurotoxicology; 17 (2) p343-349 SUM 1996 (BJ31)

Metal binding properties of a monoclonal antibody directed toward metal-chelate complexes. Blake DA; Chakrabarti P; Khosraviani M; Hatcher FM; Westhoff CM; Goebel P; Wylie DE; Blake RC Journal of Biological Chemistry; 271 (44) p27677-27685 NOV 1 1996 (BL39)

The spectrophotometry determination of chelate complex: L-ascorbic acid with 10d element (Cd(II), Zn(II), Hg(II)) Kleszczewska E Toxicol Lett suppl 1 1996, Eurotox 96, P2H-222 (BL48)

Role of chelating agents for prevention, intervention, and treatment of exposures to toxic metals. Goyer RA; Cherian MG; Jones MM; Reigart JR Environmental Health Perspectives; 103 (11) p1048-1052 NOV 1995 (BX14)

The role of protonation and metal chelation preferences in defining the properties of mercury-binding coiled coils. Dieckmann GR; McRorie DK; Lear JD; Sharp KA; Degrado WF; Pecoraro VL Journal of Molecular Biology; 280 (5) p897-912 JUL 31 1998 (CA22)

Renal disposition of mercury (Hg) in normal and uninephrectomized (NPX) rats after treatment with 2,3-dimercapto-1-propane sulfonate (DMPS) or meso-2,3-dimercaptosuccinic acid (DMSA) Zalups RK Abstr Exp Biol Meet, Anaheim 1994 FASEB J 1994 (BN29)

Combined oral treatment with racemic and meso-2,3-dimercaptosuccinic acid for removal of mercury in rats Kostial K, Restek-Samarzija N, Blanusa M, Piasek M, Jones MM, Singh PK Pharmacol Toxicol 81 1997 242-244 (BT56)

Dose-related efficiency of mono-n-hexyl meso-2,3-dimercaptosuccinate in decreasing Hg-203 retention in rats. Kostial K; Blanusa M; Prester L; Jones MM; Singh PK Pharmacology & Toxicology; 77 (1) p79-80 JUL 1995 (BU39)

Treatment of mercury and lead poisonings with dimercaptosuccinic acid and sodium dimercaptopropenesulfonate - A review. Aaseth J; Jacobsen D; Andersen O; Wickstrom E Analyst; 120 (3) p853-854 MAR 1995 (BY9)

Sodium 2,3-dimercapto-1-propanesulfonate (DMPS) treatment does not redistribute lead or mercury to the brain of rats. Aposhian MM; Maiorino RM; Xu ZF; Aposhian HV Toxicology; 109 (1) p49-55 MAY 3 1996 (BJ52)

Sodium 2,3-dimercaptopropane-1-sulfonate challenge test for mercury in humans .3. Urinary mercury after exposure to mercurous chloride. Maiorino RM; Gonzalezramirez D; Zunigacharles M; Xu ZF; Hurlbut KM; Aposhian MM; Dart RC; Woods JS; Ostroskywegman P; Gonsebatt ME; Aposhian HV Journal of Pharmacology and Experimental Therapeutics; 277 (2) p938-944 MAY 1996 (BK15)

Biodistribution of radiomercury in rabbits and efficacy of dimercaptopropanesulfonic acid (DMPS) and dimercaprol (BAL) to reduce tracer-level kidney burden of radiomercury in rats Coveney JR, Robbins MS & Adams MD Fed Proc 45 1986 abstr 1666 (BP38)

Urinary mercury in twelve cases of cutaneous mercurous chloride (calomel) exposure: Effect of sodium 2,3-dimercaptopropane-1-sulfonate (DMPS) therapy. Garzaocanas L; Torresalanis O; Pineyrolopez A Journal of Toxicology - Clinical Toxicology; 35 (6) p653-655 1997 (BY22)

Mechanisms of action of 2,3-dimercaptopropane-1-sulfonate and the transport, disposition, and toxicity of inorganic mercury in isolated perfused segments of rabbit proximal tubules. Zalups RK;

Parks LD; Cannon VT; Barfuss DW Molecular Pharmacology; 54 (2) p353-363 AUG 1998
(CA30)

DMPS (2,3-dimercaptopropane-1-sulfonate, dimaval) decreases the body burden of mercury in humans exposed to mercurous chloride. Gonzalezramirez D; Zunigacharles M; Narrojuarez A; Molinarecio Y; Hurlbut KM; Dart RC; Aposhian HV Journal of Pharmacology and Experimental Therapeutics; 287 (1) p8-12 OCT 1998 (CB23)

Further Study of Effects of Chelating Agents on Excretion of Inorganic Mercury in Rats. Shimada H; Fukudome S; Kiyozumi M; Funakoshi T; Adachi T; Yasutake A; Kojima S Toxicology; 77 (1-2) p157-169 1993 (BX33)

Effectiveness of N-acetylcysteine in protecting against mercuric chloride-induced nephrotoxicity Girardi G & Elias MM Toxicol 67 1991 155 (BZ10)